



## HARD SIDED INDUSTRIAL COOLER

ITEM # 93993 37QT, 93994 37QT, 93995 16QT, 93996 26QT, 93997 48QT, 93998 37QT, 93999 79QT

### OWNER'S MANUAL AND SAFETY INSTRUCTIONS

SAVE THIS MANUAL. KEEP THIS MANUAL FOR SAFETY WARNINGS, PRECAUTIONS, ASSEMBLY, OPERATION, INSPECTION, MAINTENANCE AND CLEANING PROCEDURES. WRITE THE PRODUCT'S SERIAL NUMBER ON THE BACK OF THE MANUAL, OR THE MONTH AND YEAR OF PURCHASE IF PRODUCT HAS NO SERIAL NUMBER

FOR QUESTIONS, PLEASE CALL CUSTOMER SERVICE: 909.628.0880

# SAFETY WARNINGS

## WARNING

Read all safety warnings and instructions. Failure to follow the warnings and instructions may result in injury and/or property damage. Save all warnings and instructions for future reference.

The warning and safety instructions in this manual are not meant to cover all possible conditions and situations that may occur. Common sense, caution and care must be exercised when operating or cleaning tools and equipment. Always contact your dealer, distributor, service agent or manufacturer about problems or conditions you do not understand before operating the product.

- This cooler is not intended to replace your refrigerator. Food can be kept in the cooler for up to 4 days maximum.
- **DO NOT** stand on the cooler.
- **DO NOT** modify this product in any way. Unauthorized modification may impair the function and/or safety and could affect the life of the product. There are specific applications for which the product was designed.
- **DO NOT** locate the cooler near heat sources.
- **DANGER or WARNING:** Risk of child entrapment. To avoid the possibility of child entrapment adult supervision is required when using the cooler.

**SAVE THESE WARNINGS.**

# OPERATION

**TIP 1.** By storing your cooling in a cool dry location you can start with a cool cooler. A warm cooler will melt ice in your cooler faster. If your cooler is warm you can pour a bag of ice to bring down the temperature of the cooler, then drain the first bag of ice before putting more ice, food and beverages.

**TIP 2.** If possible, freeze your food ahead of time before placing it into the cooler. This will ensure your food stays fresh and cool and that the ice melts slower.

**TIP 3.** Use plenty of ice. It is suggested to use dry or block ice and top it off with regular ice. Dry ice melts much slower than regular ice. You can make block ice at home by freezing water in tupperware ahead of time.



**DRY ICE**



**BLOCK ICE**



**REGULAR ICE**

**WARNING:** Dry ice can cause frostbite. Only handle dry ice with thick gloves and do not allow children to touch or handle dry ice.

**TIP 4.** Air pockets in your cooler will melt the ice faster. Use more ice, or a towel to cut down on the air pockets.

# DISCLAIMER

## PLEASE READ THE FOLLOWING CAREFULLY

THE MANUFACTURER AND/OR DISTRIBUTOR HAS PROVIDED THE PARTS LIST AND ASSEMBLY DIAGRAM IN THIS MANUAL AS A REFERENCE TOOL ONLY. NEITHER THE MANUFACTURER OR DISTRIBUTOR MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND TO THE BUYER THAT HE OR SHE IS QUALIFIED TO MAKE ANY REPAIRS TO THE PRODUCT, OR THAT HE OR SHE IS QUALIFIED TO REPLACE ANY PARTS OF THE PRODUCT. IN FACT, THE MANUFACTURER AND/OR DISTRIBUTOR EXPRESSLY STATES THAT ALL REPAIRS AND PARTS REPLACEMENTS SHOULD BE UNDERTAKEN BY CERTIFIED AND LICENSED TECHNICIANS, AND NOT BY THE BUYER. THE BUYER ASSUMES ALL RISK AND LIABILITY ARISING OUT OF HIS OR HER REPAIRS TO THE ORIGINAL PRODUCT OR REPLACEMENT PARTS THERETO, OR ARISING OUT OF HIS OR HER INSTALLATION OF REPLACEMENT PARTS THERETO.

**Record Product's Serial Number Here:** \_\_\_\_\_

**Note: If product has no serial number, record month and year of purchase instead.**

**Note: Some parts are listed and shown for illustration purposes only and are not available individually as replacement parts.**

## Questions, issues or missing parts?

Before returning to your retailer, our customer service team is here to help.



**Call Us: 909.628.0880**

**Email Us: [customer@xtremepowerusa.com](mailto:customer@xtremepowerusa.com)**

**Hours of Operation: 9am - 3pm PST Monday - Friday**

**MADE IN CHINA**