



## PRESSURE POOL CLEANER

ITEM: 75060



## OWNER'S MANUAL AND SAFETY INSTRUCTIONS

SAVE THIS MANUAL: KEEP THIS MANUAL FOR SAFETY WARNINGS, PRECAUTIONS, ASSEMBLY, OPERATING, INSPECTION, MAINTENANCE AND CLEANING PROCEDURES. WRITE THE PRODUCT'S SERIAL NUMBER ON THE BACK OF THE MANUAL NEAR THE ASSEMBLY DIAGRAM (OR MONTH AND YEAR OF PURCHASE IF PRODUCT HAS NO NUMBER)

FOR QUESTIONS PLEASE CALL OUR CUSTOMER SUPPORT: (909) 628 0880 MON-FRI 9AM TO 3PM PST



## GENERAL SAFETY WARNINGS

Read all safety warnings and instructions. Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury. Save all warnings and instructions for future reference.

## SAFETY

---

The warnings, precautions, and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator. Read carefully and understand all **ASSEMBLY AND OPERATION INSTRUCTIONS** before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.

- **Read and understand all instructions.** Failure to follow all instructions may result in serious injury or property damage.
- **DO NOT** allow persons to operate or assemble the product until they have read this manual and have developed a thorough understanding of how it works.
- **DO NOT modify this product in any way.** Unauthorized modification may impair the function and/or safety and could affect the life of the product. There are specific applications for which the product was designed.
- After cleaning or backwashing, let the filtration system run for at least 5-10 minutes before reconnecting the cleaner.
- **DO NOT** play with cleaner or apply cleaner or hose to body, clothing, or hair. The hose and cleaner can take hold of your body, hair, or clothing. The suction from the hose or cleaner, or just the hose or cleaner alone, can trap a swimmer underwater. **NEVER ALLOW ANYONE TO ENTER THE POOL** when the cleaner is in use.
- **DO NOT** allow anyone, especially children, to use or play with or around the cleaner or hose. Educate the pool users about the dangers of the hose, cleaner, and suction ports.
- **STOP PUMP** Cleaner must be completely disabled by turning off the pool's pump and suction before cleaning or maintaining the cleaner. Moving parts and suction can injure fingers or body.
- **STOP PUMP** before swimming. The moving pool cleaner, hose, and suction ports can injure or entrap swimmers. **STOP PUMP**, detach hose, and move the cleaner and hose to an unused corner of the pool. If the hose may interfere with the swimmers, remove it from the pool.
- Carefully follow all instructions contained in this manual. Failure to do so may inhibit the cleaner's operation or damage your pool. The manufacturer disclaims any liability for repairs or replacement to any structures or components in the customer's pool. This cleaner was not designed to be the first clean after pool construction or at the beginning of the season. Check your vinyl pool for wear or tear, or for roots, branches, rocks, or other obstructions under the liner. Gunite, plaster, and tile pools must be free of deterioration, cracked or loose tiles, or other conditions that could damage the cleaner. All pools must be cleaned of algae and debris prior to the cleaner's first use.

# FEATURES AND SPECIFICATIONS




This pressure side pool cleaner is ideal for cleaning all in-ground pools. It features tri-wheel belt drive mechanism for providing greater vacuum power and faster cleaning. It is powered by jets for vacuum and scrubs the pool bottom, walls and steps. It also comes with a chamber filter bag for hold debris before it reaching pump basket or filter.

## FEATURES:

- Pressure side cleaner for in ground pools
- Works with all pool surfaces
- Requires a booster pump for operation
- Sweeps and scrubs the bottom and walls of any pool
- Independent filter bag
- All hoses and bags are compatible with polaris


## COMPONENT LIST:

- 1 All purpose bag
- 2 Head Float
- 3 Cleaner Body
- 4 Sweep Hose
- 5 Quick Disconnect
- 6 Hose Float
- 7 Swivel Connector
- 8 Feed Hose




## QUICK INSTALLATION INSTRUCTION

1. First install the Universal Wall Fitting (93270-37) on the pool's outlet fitting.



2. Measure the hose and check if the length of the hose is equal to the greatest depth of the pool. Screw the Universal Wall Fitting into the Quick Disconnect and the another end of the hose must be over 30cm of the farthest point of the pool. If the hose is too long, screw off each section from the swivel connector. Each section of sweep hose is 2.4m. If the hose is too short, purchase another feed hose section, one swivel connector and 2 hose nuts.

3. Assemble the Cleaner: Use the nut to attach the feed hose to the feed pipe and screw the nut upward. The cleaner and feed hose will be fixed together tightly. Then install the All Purpose Bag and Head Float. At the top of the bag is a quick connector, connect it on the feed hose.




4. Check the pressure of the pump outlet is between 3kgs-3.5kgs, or turn the pump on and hold the cleaner below the water level and count wheel revolutions for one minute. The optimum speed should be between 28-35RPM

5. The Thrust Jet (93270-28) is at the back side of the cleaner. Factory position is upward about 10 degrees. The thrust jet could adjust the direction of the cleaner. The adjustable nut at the top of the outlet hose. The water flow of the sweep hose could be adjusted by this nut to control the switch range and frequency of the sweep hose.

## OPERATION / MAINTENANCE

When installing correctly, start up the pump, then the “Clean” will start to clean the pool. The cleaner will collect all debris into the All Purpose Bag and clean the pool floor and side walls. The cleaner will climb best in pools without sharp angles and curves in the transition from the pool floor to the pool wall. Approximately every three minutes the cleaner will go into back-up mode.



1. Before or after using the cleaner, check the filter bag if there is debris, clean it out.
2. After using the cleaner, clean the filter bag at least once. Do this by removing the bag from the cleaner, open the bag closure at one side and empty the bag, backwash it clean and close the bag back up.
3. Never store the cleaner in direct sunlight. If you don't use the cleaner for an extended period, drain out all water and store it in a clean, dry area out of the reach of children.



# DISCLAIMER

## PLEASE READ THE FOLLOWING CAREFULLY

THE MANUFACTURER AND/OR DISTRIBUTOR HAS PROVIDED THE PARTS LIST AND ASSEMBLY DIAGRAM IN THIS MANUAL AS A REFERENCE TOOL ONLY. NEITHER THE MANUFACTURER OR DISTRIBUTOR MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND TO THE BUYER THAT HE OR SHE IS QUALIFIED TO MAKE ANY REPAIRS TO THE PRODUCT, OR THAT HE OR SHE IS QUALIFIED TO REPLACE ANY PARTS OF THE PRODUCT. IN FACT, THE MANUFACTURER AND/OR DISTRIBUTOR EXPRESSLY STATES THAT ALL REPAIRS AND PARTS REPLACEMENTS SHOULD BE UNDERTAKEN BY CERTIFIED AND LICENSED TECHNICIANS, AND NOT BY THE BUYER. THE BUYER ASSUMES ALL RISK AND LIABILITY ARISING OUT OF HIS OR HER REPAIRS TO THE ORIGINAL PRODUCT OR REPLACEMENT PARTS THERETO, OR ARISING OUT OF HIS OR HER INSTALLATION OF REPLACEMENT PARTS THERETO.

**Record Product's Serial Number Here:** \_\_\_\_\_

**Note:** If product has no serial number, record month and year of purchase instead.

**Note:** Some parts are listed and shown for illustration purposes only and are not available individually as replacement parts.



**SAVE THESE INSTRUCTIONS.**

### Questions, issues or missing parts?

Before returning to your retailer, our customer service team is here to help.



Call Us: 909.628.0880

Email Us: [customer@xtremepowerusa.com](mailto:customer@xtremepowerusa.com)

Hours of Operation: 9am - 3pm PST Monday - Friday

**PRODUCT MADE IN CHINA**